

# Equipment Sales




**arco**<sup>®</sup> Professional  
Safety Services

# Equipment Sales Contents


<b>Working at Height Equipment</b>	<b>06</b>
Harnesses	06
Lanyards	12
Fall Arrest Blocks	17
Rope and Cord	19
Connectors	20
Helmets	22
Lighting	23
Rescue Systems	24
Stretchers	25
Bags	26
Working at Height Training	27
<b>Rope Access Equipment</b>	<b>28</b>
Harnesses	29
Descenders	31
Ascenders	32
Back-up devices	33
Lanyards	34
Pulleys	35
Edge Protection	36
Footloops, Etriers & Suspension Seat	37
Accessories	38
<b>Confined Space Equipment</b>	<b>40</b>
Gas Detection	41
Escape Breathing Apparatus	42
Harnesses	42
Tripod Bundles	43
Signs	43

# Arco Professional Safety Services


Arco Professional Safety Services provide consultancy, training, services and equipment to manage the most complex and high-risk, high hazard scenarios. Specialising in working at height, confined spaces and respiratory management, expert knowledge and experience mean the team can deliver solutions for situations with the highest risk of serious injury or irreversible damage to health.




Consultancy



Training



Services



Equipment

### Consultancy

Consultants work in a strategic manner bringing a wealth of real-world health and safety expertise plus an understanding of specific hazards that enables them to develop solutions that really add value. They can help with risk management, risk mitigation and risk transfer solutions, helping clients to control, manage or even transfer the full spectrum of high risk, high harm challenges.

### Training

Training can be off the shelf or tailor-made and can be delivered on or off-site. Purpose-built training facilities provide effective learning environments which can accommodate a range of different learning styles and highly skilled specialists are qualified to support senior executives and middle management through to operatives. Specialist training is provided in:

- Working at height
- Confined spaces
- Respiratory
- Health and safety

### Services

#### Respiratory Protection Services

Our specialist Respiratory Team can offer expert advice on all aspects of respiratory protection and how to implement an effective RPE programme, from face fit testing, to respiratory training, and RPE servicing and maintenance.

#### Fall Protection Services

Our highly experienced team can help you develop a comprehensive risk prevention plan for working at heights, façade access and rescue. From consultation right through to installation, our end-to-end fall protection service gives you the highest quality at every touchpoint.

#### Rescue Services

We offer supervision and rescue services, as well as access to specialist teams that offer nationwide on-demand cover. Our joined-up approach means we can deliver a complete solution for all rescue at height and confined space scenarios, leaving nothing to chance.

### Equipment

Our impartial advice can help you find the most suitable combination of technical products for your specific risks. We offer:

- **Equipment sales** - A comprehensive range of equipment for you to purchase.
- **Equipment hire** - A full selection the most current technologies from leading specialist suppliers for you to hire on standard or long-term contracts.
- **Equipment maintenance** - Scheduled maintenance and calibrations of your equipment by our trained engineers.



# Equipment

When your people are working in high-risk environments, you need to feel confident they've got the right kit for the job. We'll help you find the right combination of technical products for your specific risks and train your people how to use them correctly. We're not tied to any brand, so our advice is always impartial and based upon providing you with the most suitable products.

## Equipment Sales

We offer a range of kit for purchase. With a comprehensive range of items to provide you with choice, so that you can be confident that you are purchasing the right kit for the site and the project.

## Equipment Hire

Arco Professional Safety services also offer a full selection of kit including the most current technologies from leading specialist suppliers, so you can hire the best kit specific to the requirements of your confined space project. Flexible contracts mean equipment can be hired on contracts which are standard or long-term of up to five years.

## Equipment Maintenance

Scheduled maintenance and calibrations: should be undertaken to ensure your kit is in full working order with the correct, current test documentation. Our engineers follow a regulated equipment issue and inspection process in order to maintain all equipment to safe and legal standards, they can maintain your equipment so that you can depend on it when you need it the most.







# Harnesses

## Fall Arrest Harnesses (one-point & two-point)



### Arco Comfort

Size XS-S 81883, M-L 81672, XL-2XL 81768

- Comfy and easy to use two-point harness
- Features front and rear attachment points
- Breathable mesh shoulder padding, for easy wear over extended periods
- Galvanised steel quick-release buckles to help with getting on and off
- Adjustable leg and chest straps for comfortable fit
- Conformity: EN 361

£117.78 Ex VAT



### Petzl Newton

Size 1 1873, Size 2 2802

- An easy to fit two-point harness
- The sternal FAST buckle allows the harness to be opened and closed simply and quickly
- Available as European and international versions
- Conformity: EN 361

£95.00 Ex VAT



### P & P Safety FRS Mk2

Small 1694, Standard 1240, XL 1530

- Adjustable two-point harness
- Elasticated leg webbing for comfort
- Quick fit and quick release buckle options available
- Conformity: EN 361

£67.00 Ex VAT 1694 (Small)

£67.00 Ex VAT 1240 (Standard)

£74.00 Ex VAT 1530 (XL)



### Ridgegear RGH2

Small 1191, Standard 1047, XL 1983

- Adjustable two-point harness
- Water repellent polyester webbing
- High tensile steel alloy fittings
- Conformity: EN 361

£42.50 Ex VAT

## Full Body Harnesses (EN 361)

A full body harness is an essential part of a safety kit as it connects a person to the fall arrest system.

There are a wide range of harness styles and care needs to be taken to select a suitable harness for the intended use and the nature of the task.

A full body harness is designed, in the event of a fall, to transfer the impact forces from the fall arrest points onto the leg loops of the harness. A fall, when wearing a waist belt, would transfer forces onto the waist which would result in serious (probably fatal) consequences for the wearer.

A harness will have a dedicated fall arrest attachment point (or points). These will normally be a metal “D” ring but can also be webbing loops. A quick overview of different harnesses and their attachment points follows below:

### One-point harnesses

At the minimum, a fall arrest harness will feature **a fall arrest attachment point designed to comply with EN361** and which will be either be positioned:

- **Dorsal** - on the back of the harness
- **Sternal** – on the chest.

### Two-point harnesses

Two- point Harnesses will feature fall arrest points on both the back and on the chest

### Four-point Harnesses

In addition to the two fall arrest points, harnesses may also feature **positioning points designed to comply with EN358**. These are usually on the waist belt and are different to the fall arrest points. Confirmation of these points can be found in the user instructions supplied with the equipment.

### Five-point harnesses

Harnesses designed for personal suspension (abseiling), will have an additional attachment point at the waist. This is known as the **ventral attachment point, this is designed to comply with EN813**.

### Note

- Always refer to the manufacturer's instructions for identification of fall arrest attachment points.
- All fall arrest devices must be attached to a recognized fall arrest point on a harness.
- Do not use other points to attach a fall arrest device.

# Fall Arrest & Work Positioning Harnesses (four-point)



**Skylotec Ignite Proton Wind**

Size M/XXL: 1927

- The central chest eyelet can be adapted perfectly to the user
- Anatomical formed shoulder and leg padding optimally distributes the load
- Thermo-shaped hip padding complete with wear plates
- Colour-coding to identify the main attachment points
- Conformity: EN 361, EN 358

£395.00 Ex VAT



**3M Exofit XE200**

Size 1 81716, Size 2 81421, Size 3 81717

- Cross Chest Buckle assembly for central front fall arrest attachment point - optimised position on body
- Revolving torso adjusters (patented) for quick and easy harness fit and adjustment
- Auto-locking quick connect buckles secure contact with webbing, reducing the need to readjust
- Suspension trauma relief straps with low-profile design included
- Conformity: EN 361, EN 358

£373.00 Ex VAT



**Petzl Volt**

Size 1 1702, Size 2 1700

- Rapid donning with FAST buckles on legs and waist
- Anatomical design is close-fitting, while giving optimal freedom of movement
- Wide, semi-rigid waist belt for excellent support
- LADDER CLIMB attachment point: for attaching the trolley of a rail or cable-based fall protection system
- Conformity: EN 361, EN 358

£280.00 Ex VAT



**Arco Work Positioning**

XS-S 81884, M-L 81561, XL-2XL 81563

- Four attachment points offer excellent flexibility
- Padded waist belt features D-ring at each side for hands free working at height
- Breathable mesh shoulder padding for comfort over extended periods
- Galvanised steel quick-release buckles to help with getting on and off
- Adjustable leg and chest straps for comfortable fit
- Conformity: EN 361, EN 358

£142.50 Ex VAT



**Ridgegear RGH6 Deluxe Comfort**

Standard 81668

- Wide waist belt and shoulder padding to provide a comfortable harness
- Tool loops fitted to waist belt
- Fall indicators
- Fast-fit buckles on leg loops, waist belt and chest strap
- Conformity: EN 361, EN 358

£137.00 Ex VAT



**P & P Safety Britannia Super Mk3**

Extra Small 1490, Standard 1484, XL 1489

- Carbon steel, zinc plated metal fittings
- Elasticated side supports remove the need for a full (round body) chest strap, improving user comfort and mobility.
- Waist belt can rotate, giving greater freedom of movement
- Conformity: EN 361, EN 358

£118.00 Ex VAT 1490 (XS)

£118.00 Ex VAT 1484 (Standard)

£128.65 Ex VAT 1489 (XL)



## Personal Suspension Harnesses (five-point)



### Petzl Astro Sit Fast

Size 1 1994, 1053 & 4408, Size 2 1995, 1053 & 4408

- Features a gated ventral attachment point that allows optimal integration of equipment such as rope clamp, lanyard, or seat.
- The wide, semi-rigid waistbelt and leg loops provide excellent support and are contoured and lined with breathable foam padding for comfort while suspended.
- Easier to carry and organise work tools, with multiple equipment loops and slots for attaching tool holders and tool pouches.
- Designed to be converted into a full-body harness when combined with a TOP CROLL S or L chest harness.
- Conformity: EN 361, EN 358, EN 813

£353.00 Ex VAT



### Petzl Astro Bod Fast

Size 1 1991, Size 2 1992

- With an integrated CROLL L ventral rope clamp, the ASTRO BOD FAST harness is designed for greater efficiency and comfort during rope ascents.
- Gated ventral attachment point allows you to efficiently integrate equipment such as rope clamp, lanyard, or seat.
- The wide, semi-rigid waistbelt and leg loops provide excellent support and are contoured and lined with breathable foam padding for comfort while suspended.
- DOUBLEBACK self-locking buckles at the rear of the harness, allow for a shorter adjustment when the dorsal attachment point is used.
- Easier to carry and organise work tools, with multiple equipment loops and slots for attaching tool holders and tool pouches.
- Conformity: EN 361, EN 358, EN 813

£340.00 Ex VAT



### Skylotec Gryphon Ascender

Medium/Large 81691

- Comfortable and ergonomic harness with 6 attachment points and with "Chest Ascender +"
- Close-fitting design and wide lumbar support with breathable mesh padding for optimal comfort
- Contoured shoulder straps with shape optimized to avoid neck chafing
- Quick-release buckles on leg loops
- Conformity: EN 361, EN 358, EN 813

£331.00 Ex VAT



### Ridgegear RGH17 Premium Rope Access

Standard 81538

- High quality support pads on legs, waist and chest
- 6 tool loops (4 on waist belt, 2 on leg loops)
- Bosun's chair attachment points
- Chest ascender fitted as standard
- Conformity: EN 361, EN 358, EN 813

£240.70 Ex VAT



### Arco Suspension

XS-S 81886, M-L 81769, XL-2XL 81771

- Designed for ultimate comfort when working in suspension with a padded waist belt and leg loops
- Adjustable leg, waist and shoulder straps for secure and comfortable fit when working for extended periods
- Five attachment points offer excellent flexibility
- Tool loops for convenient tool stowage
- Conformity: EN 361, EN 358, EN 813

£235.00 Ex VAT



### Singing Rock Expert 3D Speed

Extra Small 1893, Medium/Large 1844, XL 1938

- Super comfortable wide waist belt padding provides maximum comfort when working at height
- Anatomic leg loops and waist belt are covered with strong PES fabric providing high abrasion resistance
- All steel components finished with E-coating for higher corrosion resistance
- Narrowed padding and webbing on the shoulder straps in a neck area enhance comfortable work
- Conformity: EN 361, EN 358, EN 813

£230.00 Ex VAT

# Lanyards

## (EN 354, EN 355)

### Fall Arrest Lanyards



#### Skylotec Skysafe Pro 1.5m Twin Fall Arrest Lanyard

2510

- Patented energy absorber with the large weight range from 50kg to 140kg
- Intermediate anchor point for wrap-around facility
- Fall indicators fitted to shock absorber pack
- Conformity: EN 354, EN 355, EN 362

£227.00 Ex VAT



#### Petzl Absorbica-Y MGO Twin Fall Arrest Lanyard

81863

- Shock absorber works with users who weigh between 60 and 140 kg
- Progressive tearing of the energy absorber webbing limits the impact force on the user
- Energy absorber's compact design and FLEX version with 150cm of elasticized webbing avoids hindering progression
- Durable fabric pouch with a simple opening system protects energy absorber from abrasion or contaminants while allowing for regular inspection
- Conformity: EN 354, EN 355, EN 362

£170.00 Ex VAT (requires additional connector for absorber end)



#### P & P Safety 1.5m Shortie Twin Fall Arrest Lanyard

2753

- 1.5m twin tail fall arrest lanyard
- Intermediate anchor point for wrap-around facility
- Fitted with double-action scaffold hooks and a tripllock connector
- Conformity: EN 354, EN 355, EN 362

£131.37 Ex VAT

£160.00 Ex VAT (complete with swivel)



#### Singing Rock Reactor 140 Twin Fall Arrest Lanyard

2699

- 1.2m Lightweight, practical shape does not restrict users at work
- Working load limit of 140kg
- Orange load indicator in shock absorber
- Conformity: EN 354, EN 355, EN 362

£127.00 Ex VAT

A fall arrest lanyard is used to connect a worker's harness to the anchorage points in the fall arrest system.

- Fall arrest lanyards are available in a range of lengths up to two metres. They may be:
- single lanyards (one leg using one shock absorber) or
  - twin lanyards, also known as Y lanyards (two legs using one shock absorber).

#### Using a Fall Arrest Lanyard

Before any work at height commences, the type and length of lanyard should be reviewed based on the measurement of two distances:

1. **The fall distance:** This is the distance a person will fall when connected to a fall arrest attachment point.
2. **The clearance distance:** This is the total space between anchor point and the nearest obstruction (or the ground).

The clearance distance must include;

- The length of the lanyard
- + The length of fully extended shock absorber
- + The worker's body height between the harness attachment point and their feet
- + The minimum stopping distance (normally quoted at 1m)

Consideration should always be given to reduce the potential fall distances. The simplest method is to use the highest anchor points available.

#### Connectors

All connectors must have the ability to lock (double action) and must be locked when attached to the harness and anchor point(s). Care must be taken that, in the event of a fall, the connector will orientate in the direction of the load.

#### Note

When using twin (or Y) lanyards, care must be taken NOT to have one lanyard leg attached to an anchor point and the other attached to the harness attachment point (unless the harness is fitted with specific lanyard parking loops). In the event of a fall, this creates the possibility of transferring the load onto the harness at a point other than the fall arrest point as the slack in the lanyard attached to the harness will be shorter than the extending shock absorber and the impact force will be transferred from the shock absorber to the lanyard. The result is a shock load applied to the body through the waist belt of the harness. This can have serious consequences for the climber.



## Work Positioning and Restraint Lanyards



### Petzl 2m Grillon Hook

2647

- Fine adjustment system allows length to be precisely adjusted for comfortable positioning at a workstation
- Available in four lengths: 2, 3, 4 and 5 m. Lanyard length is immediately identified by a color-coded label at the connector end
- Comes with HOOK connector, ideal for use in double mode on the harness side attachment points
- Conformity: EN 358, EN 12841 type C

£153.00 Ex VAT



### Arco 2m Work Positioning Lanyard

81778

- Durable rope and easy to adjust offering flexibility to perform intricate tasks
- Adjustable length from 0.6m to 2.0m
- Quick and secure connections with aluminium triple-action carabiner at one end and snap hook at other
- Conformity: EN 358

£139.43 Ex VAT



### Skylotec 1.5m Ergogrip SK12

2433

- Abrasion resistant rope
- Easy adjustment with one hand
- Also available as a 3m version
- Conformity: EN 358, EN 353-2

£139.41 Ex VAT



### Ridgegear Finch 2m

2719

- Alloy double-action connector sewn onto the rope
- Wear sleeve fitted
- Maximum user weight 100kg
- Conformity: EN 358

£91.63 Ex VAT



### Edelrid Switch Pro Adjust

81785

- Easy to use, length-adjustable lanyard
- Innovative rope clamp allows length adjustment under load
- Complete with Oval Power triple lock carabiner
- Conformity: EN 358

£80.00 Ex VAT (requires one additional connector)



### Petzl Progress Adjust

2598

- Adjustable single lanyard provides continuous connection during all types of progression when used with a second lanyard
- Very quick and precise length adjustment thanks to the ergonomic shape of the ADJUST rope adjuster
- The connector is held in the correct position for easy clipping
- Conformity: EN 358

£53.00 Ex VAT (requires additional two connectors)



### P & P Safety 1.5m Adjustable Restraint Lanyard

2059

- Terminated with a steel screwgate connector at each end
- Maximum capacity 150kg
- Adjustable between 1.1m and 1.5m
- Conformity: EN 358

£34.00 Ex VAT



### Ridgegear RGL12 Adjustable Restraint Lanyard

2901

- Terminated with a steel screwgate connector at each end
- 26mm water repellant webbing
- The 37KN webbing used in the manufacture provides greater strength compared to other webbing and systems
- Conformity: EN 358

£33.00 Ex VAT



Retractable Fall Arrest Lanyards



Skylotec 1.8m Peanut Y Lanyard

- 2547
- The Peanut is already equipped with the new One-4-All shock absorber and is therefore approved for the weight class 50-135-kg.
  - Fall indicators fitted to shock absorber pack
  - Additional lanyard lengths available
  - Conformity: EN 354, EN 355, EN 362

£390.00 Ex VAT



MSA V-Shock Edge 1.8m PFL

- 81789
- Fitted with Locking Pin connector (fits direct to harness webbing) and Aluminium triple lock carabiner
  - Leading Edge webbing
  - MEWP approved (DIN 19427 certified)
  - Conformity: EN 360

£263.50 Ex VAT



Arco Fall Arrest Lanyards 1.8m

- 81895, 81894
- Compact and lightweight fall arrester block with 1.8m self-retracting lanyard
  - Inbuilt fall indicator for easy inspection
  - Durable casing for great strength and performance
  - Fitted with aluminium triple-action carabiner at one end and scaffold hook at the other for quick and secure connections
  - Maximum capacity: 150kg
  - Conformity: EN 360

£171.00 Ex VAT (81895 Single)

£307.60 Ex VAT (81894 Twin)



P & P Safety Autoreel Plus Mk2

- 9439
- 2.45m retractable lanyard
  - Integral swivel at anchor point
  - Alloy double action hook for attachment to harness
  - 136kg capacity
  - Conformity: EN 360

£82.95 Ex VAT

Fall Arrest Blocks



Sala Ultralok RSQ 15m

- 9978
- RSQ™ dual-mode design
  - Rugged and extremely lightweight thermoplastic housing
  - Anti-ratcheting twin disk brake system
  - Conformity: EN 360, EN 341 D

£1,900.00 Ex VAT



Protecta Rebel 15m Fall Arrest Retrieval Block

- 9558
- Stowable retrieval handle
  - Rugged aluminium housing
  - Internal energy absorption system
  - Conformity: EN 360, EN 1496

£887.00 Ex VAT



Ridgegear 15m RGA4 Fall Arrest Retrieval Block

- 9009
- Three-way retrieval block fitted with an up /down winch mechanism and the standard fall arrest capability.
  - Double action high tensile steel alloy swivel connector with fall indicator
  - 5mm galvanised cable (can be supplied in stainless steel)
  - Conformity: EN 360

£790.00 Ex VAT



Arco Fall Arrest Blocks

- 81898, 81897, 81896
- Durable fall arrester block with galvanised steel lifeline
  - Abrasion-resistant casing for great durability
  - Alloy swivel hook fastening with load indicator
  - Available in 18m, 10m, 6m
  - Conformity: EN 360

£484.00 Ex VAT (81898 18m)

£414.00 Ex VAT (81897 10m)

£390.00 Ex VAT (81896 6m)

Fall Arrest Blocks



Ikar HRA12 Fall Arrest Retrieval Block

- 9760
- 12m fall arrest block with retrieval winch
  - Chain drive winch
  - 4.5mm diameter galvanised cable
  - Conformity: EN 360, EN 1496

£978.00 Ex VAT



Protecta Rebel 10m

- 9373
- Economic fall protection with no compromise on performance or safety
  - Max weight capacity 140kg
  - Other lifeline lengths available
  - Conformity: EN 360

£417.10 Ex VAT



MSA V-Shock Edge 6m

- 81788
- Durable - Retraction dampening feature controls the cable speed to prevent the unit from damage
  - Versatile - Use for horizontal, overhead, and leading-edge applications
  - Easy inspection - Clear outer casing
  - Conformity: EN 360:2002, VG11 CNB/P/11.060: Edge type A (0.5 mm radius edge)

£442.00 Ex VAT



Globestock G-Stop 14m

- 106000
- Shock absorbing brake mechanism
  - Max weight capacity 136kg
  - 5mm galvanized steel cable fitted as standard
  - Conformity: EN 360

£443.00 Ex VAT

Rope and Cord

Rope



3324 Edelrid 10mm Python Dynamic Rope

£2.10/m Ex VAT

3592 Marlow 11mm Low Stretch Kernmantle Rope

£1.32/m Ex VAT

3354 Marlow 11mm Dynamic

£3.27/m Ex VAT

Cord



3157 Beal 4mm Low Stretch Accessory cord

£0.53/m Ex VAT

3641 Marlow 5mm Low Stretch Accessory cord

£0.70/m Ex VAT

3656 Marlow 6mm Low Stretch Accessory cord

£0.96/m Ex VAT

3660 Marlow 8mm Low Stretch Accessory cord

£1.55/m Ex VAT



95cm Canvas Rope Protector

- 88810
- 95cm (L) x 17cm (W)
  - Double thickness cotton canvas rope protector, with Velcro closure along the length plus press studs at each of the ends where additional security is wanted.
  - A retaining web loop is also present, one at each end.
  - Helps protect rope sheath against light abrasion on rough surfaces and edges.
  - Conformity: N/A

£12.00 Ex VAT









Edge Guard Rope Protection







- 89225
- Stainless Steel edge protector
  - Adjustable securing cords supplied
  - Velcro tabs to help keep the rope in place

£58.34 Ex VAT



Connectors

Manufacturer	Product	Code		Price
Foin	10mm Oval Steel Screwgate	4081		£7.83 Ex VAT
DMM	Klettersteig Steel Screwgate	4165		£14.92 Ex VAT
DMM	12mm Zodiac Alloy Kwicklock	4295		£19.50 Ex VAT
DMM	12mm Zodiac Alloy Locksafe	4318		£20.33 Ex VAT
Petzl	Omni Alloy Triact-lock	4160		£27.00 Ex VAT
Maillon Rapide	10mm Standard Pattern Steel	4028		£5.33 Ex VAT

Manufacturer	Product	Code		Price
Maillon Rapide	10mm Semi-circular Steel	4123		£9.50 Ex VAT
Maillon Rapide	7mm Delta steel	4046		£3.04 Ex VAT
DMM	Ultra O Oval Alloy Kwicklock	4370		£17.43 Ex VAT
Foin	10mm D Steel Twistlock	4205		£21.41 Ex VAT
Petzl	12mm Vulcan Steel Screw-lock	4582		£22.00 Ex VAT
Petzl	OK Oval Alloy Triact	4668		£17.00 Ex VAT

Helmets



Petzl Strato, Strato Vent & Strato Hi-Viz

7630, 7633, 7639

- Lightweight and comfortable design: liner in EPP (expanded polypropylene) and EPS (expanded polystyrene) for reduced weight
- Protection designed for work at height and on the ground, day or night
- DUAL chinstrap allows the worker to adjust chinstrap strength in order to adapt the helmet to different environments: work at height (EN 12492) or on the ground (EN 397). The clip has two positions, corresponding to these two uses: high strength, limiting the risk of losing the helmet during a fall, and low strength, limiting the risk of strangulation if the helmet is snagged while the user is on the ground
- Also available in a range of colours (without reflective sticker set)
- Conformity: meets all requirements of the EN 397 standard, except the requirement for internal vertical clearance

£85.00 to £95.00 Ex VAT



Petzl Vertex & Vertex Hi-Viz

7631, 7647

- Six-point textile suspension cradle conforms perfectly to the shape of the head
- CENTERFIT feature allows perfect centering of the helmet on the head, thanks to its two side adjustment wheels
- DUAL chinstrap allows the worker to adjust chinstrap strength in order to adapt the helmet to different environments: work at height (EN 12492) or on the ground (EN 397). The clip has two positions, corresponding to these two uses: high strength, limiting the risk of losing the helmet during a fall, and low strength, limiting the risk of strangulation if the helmet is snagged while the user is on the ground
- Also available in a range of colours (without reflective sticker set)
- Conformity: EN 397, EN 50365

£70.00 to £80.00 Ex VAT



3M SecureFit X5000 Safety Helmet Hi-Viz

81781

- Suspension system incorporates the patented Pressure Diffusion Technology
- 4-point ratchet suspension allows wearer to customise height and fit
- Meets (and has the ability to convert to either) EN 12492 or EN 397 compliance standards for commercial headwear
- Climbing helmet-inspired design
- Customise your fit with multiple levels of vertical adjustment
- Works with a variety of 3M faceshields, earmuffs, and other accessories
- Conformity: EN 397 or EN 12492

£95.00 Ex VAT



ZERO Apex X2

81774 (black), 81775 (orange), 81776 (FL yellow), 81777 (white)

- Expanded Polypropylene (EPP) impact liner
- Side ventilation
- Front and rear height adjustable headband
- Removable and washable textile inner padding
- Available in Black, Orange, FI Yellow or White
- Conformity: EN 397, EN 12492

£60.00 Ex VAT

Lighting



Petzl Pixa 3R

7359

- For frequent use, with integrated rechargeable Lithium-Ion polymer battery and quick charging dock (3 hours)
- CONSTANT LIGHTING technology ensures brightness that does not gradually decrease as the battery drains
- ATEX zone 2/22 (II 3 GD Ex ic IIB T4 Gc IIIC T135° C Dc) certified headlamp
- IP 67

£85.00 Ex VAT



Petzl Pixa 2

7368

- Several lighting modes adapt to each situation:
  - low-intensity mode adapted to close-range work: mixed beam with a wide, uniform flood
  - high-intensity mode adapted to movement: mixed beam with focused component allows user to move around comfortably
- CONSTANT LIGHTING technology ensures brightness that does not gradually decrease as the battery drains
- ATEX zone 2/22 (II 3 GD Ex nA ic IIB T4 Gc tc IIIC T135°C Dc) certified headlamp
- IP 67

£48.00 Ex VAT



Petzl Pixa 1

7535

- Excellent resistance to falls (2 m), impacts, and crushing (80 kg)
- Automatically switches to reserve mode when batteries are almost drained (signalled by blinking light)
- ATEX zone 2/22 (II 3 GD Ex nA ic IIB T4 Gc tc IIIC T135°C Dc) certified headlamp
- IP 67

£34.00 Ex VAT



Petzl Swift RL Pro

7695

- Compact and lightweight: only 123g
- Swift RL Pro comes with a USB rechargeable battery
- single button for quick and easy selection of brightness or light colour
- IP X4

£95.00 Ex VAT



## Rescue Systems

Please note: Rope lengths can be supplied to meet the customer's needs and must be specified for each order.



### 50m No Shock CRD Rescue Kit

16157

- Complete with constant rate descent device, remote capture pole, deviation kit and edge guard
- Other rope lengths available to order
- "No cut" rescue system – Lift and lower rescue capability
- Hermetically sealed for a 10 year, service-free, life
- Conformity: EN 341 1A, EN 1496 A

£1,225.00 Ex VAT



### 30m No Shock Tower Rescue Kit

15798

- "No Cut" rescue system – Lift and lower rescue capability
- Available as a 30m, 40m or 50m length as standard
- Other rope lengths available to order
- Colour-coded components for ease of use

£650.00 Ex VAT



### Petzl 30m Jag Rescue Kit

16117

- "No Cut" rescue system – Lift and lower rescue capability
- Available as a 30m, 40m or 50m length as standard
- Other rope lengths available to order

£545.00 Ex VAT



### 20m Pole Top Rescue Kit

625220

- Improved rescue kit for use on wood poles
- Can be used to lower a casualty or for self-rescue
- Environmentally sealed to reduce service requirements
- Moisture indicator monitors the condition of the equipment within the sealed bag

£201.00 Ex VAT

## Stretchers (for work at height or confined spaces)

### Skylotec Conrest Stretcher

89028

- The CONREST rescue stretcher allows the rapid rescue of accident victims from hard-to-reach and confined spaces
- CONREST has a stable and solid skid plate that ensures the safe movement of the patient over edges or obstacles
- The short design secures the patient's head, spine, pelvis and arms thanks to a particularly thick and stabilising belt strap construction
- A clear colour system ensures rapid handling: all of the attachment points are marked in orange

£1,800.00 Ex VAT



### Slix 100 Stretcher

88441

- Complete with spinal splint, lifting bridle and bag
- Robust, compact and lightweight stretcher
- The stretcher may be hauled vertically or horizontally
- No webbing passes under the stretcher preventing damage whilst dragging

£1,252.00 Ex VAT



## Bags



### 65 Litre Holdall

80660

- Made of black Cordura and orange PVC
- Features a pair of side carry handles, a carry handle at each end and a removeable, adjustable shoulder strap
- Heavy duty horse-shoe zip

£62.36 Ex VAT



### 40 Litre Arco Equipment Backpack

81772

- Made from PVC, polyester and nylon
- Drawstring closure
- Padded adjustable shoulder straps and base
- Multiple tool and accessory loops

£62.22 Ex VAT



### 35 Litre Rucksack Style Bag

84860

- Medium weight PVC construction
- Reinforced base with three drain holes
- Webbing shoulder straps with quick release buckle on left strap

£48.00 Ex VAT



### 17.5 Litre Rucksack Style Bag

84840

- Medium weight PVC construction
- Reinforced base with three drain holes
- Webbing shoulder straps with quick release buckle on left strap

£40.35 Ex VAT


## Specialist Training from the Experts

As your safety partner we can provide training to suit you, it can be off the shelf or tailor-made and can be delivered on your site or at our purpose-built training facilities. Our highly skilled specialists are qualified to support senior executives and middle management through to operatives. Just a small number of our specialist courses are listed below, contact us to find out more.



### Working at height

- Rope access training
- Rooftop safety & access
- Fall Protection
- Advanced climber
- Rescue from height training
- Sector specific training courses



### Confined spaces

We offer the complete suite of City & Guilds confined space qualifications in:

- Low, medium and high risk confined spaces
- Controlled entry and arrangements
- Supervising teams undertaking work
- Plan, manage and review legislative and safety compliance
- Emergency rescue & recovery of casualties
- Member of rescue and recovery team



### Respiratory

- Positive and negative pressure training
- BSIF Fit2Fit accredited Qualitative Respiratory training
- Quantitative Respiratory training
- Powered Respiratory training
- BA User training
- Full breathing apparatus training



### Health and safety

- Mental Health & Wellbeing Awareness, incl Mental Health First Aider
- IOSH incl Working Safely / Managing Safely / Leading Safely
- Spill Awareness / COSHH Awareness / Abrasive Wheels
- General Risk Assessment / Permit to Work
- First Aid / Fire Marshal
- Lock Out Tagout

**For more information**  
visit [www.arcoservices.co.uk](http://www.arcoservices.co.uk)  
or call 0330 390 0822



# Rope Access

## Personal Suspension Harnesses (five-point)



### Petzl Astro Sit Fast

Size 1 1994, 1053 & 4408, Size 2 1995, 1053 & 4408

- Features a gated ventral attachment point that allows optimal integration of equipment such as rope clamp, lanyard, or seat.
- The wide, semi-rigid waistbelt and leg loops provide excellent support and are contoured and lined with breathable foam padding for comfort while suspended.
- Easier to carry and organise work tools, with multiple equipment loops and slots for attaching tool holders and tool pouches.
- Designed to be converted into a full-body harness when combined with a TOP CROLL S or L chest harness.
- Conformity: EN 361, EN 358, EN 813

£353.00 Ex VAT



### Petzl Astro Bod Fast

Size 1 1991, Size 2 1992

- With an integrated CROLL L ventral rope clamp, the ASTRO BOD FAST harness is designed for greater efficiency and comfort during rope ascents.
- Gated ventral attachment point allows you to efficiently integrate equipment such as rope clamp, lanyard, or seat.
- The wide, semi-rigid waistbelt and leg loops provide excellent support and are contoured and lined with breathable foam padding for comfort while suspended.
- DOUBLEBACK self-locking buckles at the rear of the harness, allow for a shorter adjustment when the dorsal attachment point is used.
- Easier to carry and organise work tools, with multiple equipment loops and slots for attaching tool holders and tool pouches.
- Conformity: EN 361, EN 358, EN 813

£340.00 Ex VAT



### Skylotec Gryphon Ascender

Medium/Large 81691

- Comfortable and ergonomic harness with 6 attachment points and with “Chest Ascender +”
- Close-fitting design and wide lumbar support with breathable mesh padding for optimal comfort
- Contoured shoulder straps with shape optimized to avoid neck chafing
- Quick-release buckles on leg loops
- Conformity: EN 361, EN 358, EN 813

£331.00 Ex VAT

A rope access system is a safe method of working at height where ropes and associated equipment are used to gain access to and from the work position, and to be supported there.

The advantages of using rope access methods:

- Safety and speed: workers can quickly get to or from difficult locations in order to carry out their work.
- Minimal impact on other operations, surrounding areas and the environment.
- A reduction of man-at-risk hours – i.e the combination of the total man-hours and perceived level of risk for a particular task when compared with other means of access and their associated risks and costs.

## Rope Access Equipment

Initially rope access equipment was taken from the caving and climbing world, however, over time specific equipment for industrial access work has been developed. We stock a wide range of equipment from all major manufacturers. A selection of the most popular items is included in this brochure, but if you cannot see what you need, please contact our sales team for assistance.

## Rope Access Training

As a founder member of IRATA, we offer rope access training courses for all three IRATA levels at our Midlands and Scottish training centres. Please contact our Training Department for further details on 0330 390 0822.

## Personal Suspension Harnesses (five-point)



### Ridgegear RGH17 Premium Rope Access

Standard 81538

- High quality support pads on legs, waist and chest
- 6 tool loops (4 on waist belt, 2 on leg loops)
- Bosun's chair attachment points
- Chest ascender fitted as standard
- Conformity: EN 361, EN 358, EN 813

£240.70 Ex VAT



### Arco Suspension

XS-S 81886, M-L 81769, XL-2XL 81771

- Designed for ultimate comfort when working in suspension with a padded waist belt and leg loops
- Adjustable leg, waist and shoulder straps for secure and comfortable fit when working for extended periods
- Five attachment points offer excellent flexibility
- Tool loops for convenient tool stowage
- Conformity: EN 361, EN 358, EN 813

£235.00 Ex VAT



### Singing Rock Expert 3D Speed

Extra Small 1893, Medium/Large 1844, XL 1938

- Super comfortable wide waist belt padding provides maximum comfort when working at height
- Anatomic leg loops and waist belt are covered with strong PES fabric providing high abrasion resistance
- All steel components finished with E-coating for higher corrosion resistance
- Narrowed padding and webbing on the shoulder straps in a neck area enhance comfortable work
- Conformity: EN 361, EN 358, EN 813

£230.00 Ex VAT

## Descenders



### Petzl I'D Evac

6293

The I'D EVAC self-braking descender is primarily designed for lowering from an anchor. The ergonomic handle is specifically oriented for managing a load from the anchor and offers comfortable descent control. The integrated anti-panic function and anti-error catch limit the risk of an accident due to user error. The AUTO-LOCK system allows the rope to be automatically locked without having to manipulate the handle or tie off the device. Once locked, the rope can be taken up without having to manipulate the handle. The safety gate allows the rope to be installed with the device remaining connected to the anchor. I'D EVAC is compatible with 10 to 11.5 mm ropes and allows handling of loads up to 250 kg.

- Conformity: EN 341 type 2 class A, EN 12841 type C

£205.00 Ex VAT



### Skylotec Sirius

9873

SIRIUS packs the advantages of the best descenders for industrial and rescue applications into an extremely compact design - for better handling and long service life. SIRIUS lies perfectly in your hand. The autoreturning operating lever has a particularly small radius of motion so that you can work fast, accurately, more comfortably and safely. During rope insertion, which is intuitive and simple, the carabiner on the harness can stay connected to the device. We designed the route of the rope in such a way that it is protected from twisting and kinking, and from excessive wear and tear

- Conformity: EN 341 type 2 class A, EN 12841 type C

£205.00 Ex VAT



### Petzl I'D S

99461

The self-braking I'D S descender is primarily designed for work at height and rope access work. It has an ergonomic handle that allows comfortable descent control. The integrated anti-panic function and anti-error catch limit the risk of an accident due to user error. The AUTO-LOCK system allows users to easily position themselves at a workstation without having to manipulate the handle or tie off the device. Once locked, the rope can be taken up without having to manipulate the handle. The safety gate allows the rope to be installed with the device remaining connected to the harness. I'D S is compatible with 10 to 11.5 mm ropes and allows handling of loads up to 250 kg.

- Conformity: EN 341 type 2 class A, EN 12841 type C

£190.00 Ex VAT



### Petzl Rig

9546

RIG is a compact self-braking descender for rope access, designed for experienced users. It has an ergonomic handle that allows comfortable descent control. The AUTO-LOCK system allows users to easily position themselves at the work station without having to manipulate the handle or tie off the device. Once locked, the rope can be taken up without having to manipulate the handle. The safety gate allows the rope to be installed with the device remaining connected to the harness.

- Conformity: EN 341 type 2 class A, EN 12841 type C, EN 15151-1

£145.00 Ex VAT



## Ascenders



### Edelrid Chest Cruiser Ascender

81786

Compact chest ascender for efficient and fatigue-free climbing on the rope. The ascender can be opened with a simple movement. The modular construction with the fastening plate and the textile fastening loops allows the integration into different chest harness systems.

- Conformity: EN 567, EN 12841 type B

£52.17 Ex VAT



### Petzl Ascension

9487

The ASCENSION handled rope clamp is designed for rope ascents and features an overmolded grip and ergonomic upper part for a comfortable and powerful grip when pulling with one or two hands. The ASCENSION handled rope clamp has a wide lower hole for easily attaching two carabiners for a lanyard and footloop.

- Conformity: EN 567, EN 12841 type B

£50.00 Ex VAT



### Petzl Basic

9472

The BASIC rope clamp is very compact, making it easy to grip. The wide lower hole allows lanyard and foot loop carabiners to be easily connected.

- Conformity: EN 567, EN 12841 type B

£48.00 Ex VAT



### Petzl Croll

9548

Designed for rope ascents, the CROLL ventral rope clamp is simple to use, thanks to its pinch opening system, which is totally integrated in the clamp to avoid any involuntary snagging. The attachment holes ensure efficient positioning during ascents. It is available in two versions to adapt to different rope diameters.

- Conformity: EN 567, EN 12841 type B

£48.00 Ex VAT

## Back Up Devices



### Petzl ASAP Lock

9981

Petzl ASAP LOCK mobile Fall Arrest Rope Grab Assembly is a component for a fall arrest system & consists of a ASAP LOCK, ASAPsorba Axxess & M33A TL Triact triple-action karabiner; & is c/w an integrated additional manual locking system that immobilises the device. Suitable for use on vertical or inclined ropes. EN353-2:2002 as a mobile fall arrestor & a component of a fall arrest system & EN12841:2006 Class A as a back-up rope adjustment device component of a rope access system.

- Conformity: EN 12841 type A, EN 353-2

£246.00 Ex VAT



### Edelrid Fuse & Diffuser

81782

Easy attachment and detachment from the rope without separation from the karabiner. Supplied with the DEFUSER energy absorber which reduces the arrest shock to 30% below the standard.

Conformity: EN 353-2, EN 12841 type A, RfU 11.075, ANSI Z359.15

£245.00 Ex VAT



### SAR Rocker & Sling Assembly

9457

Rocker Rope Grab for use on 10.5 - 12.7mm dia. rope. Black or gold in colour. High strength aluminium with anodised finish. Weight 169g. Very versatile rope grab suitable as a back-up device for industrial rope access & rescue techniques (prEN12841 Class A), an EN353-2 component within a vertical fall arrest system, an EN358 adjuster component of a work positioning system. When used as a fall arrest back-up device it is best used with the supplied short 30 or 31cms short lanyard (including connectors).

- Conformity: EN 353-2, EN 358

£121.40 Ex VAT



### S.Tec Duck-R

9441

S.Tec Duck-R T02 Rope Access Back-Up Device with a stainless steel frame & spring, + aluminium cam. Designed as a compact back-up rope adjustment device for use on a back-up safety line when using industrial rope access abseiling techniques.

EN12841:2006 Type A. Weight 263g. Tested using Teufelberger 11mm and Edelrid 10.5mm EN1891 Type A rope. Other 10.5 - 11mm dia. ropes have provided excellent results

- Conformity: EN 12841 type A

£114.00 Ex VAT

Lanyards



Petzl 2m Grillon

2769  
Petzl 2m Grillon Lightweight Adjustable Kernmantle Construction Rope Work Positioning Lanyard, L52A 827.823. This lightweight lanyard is multi functional and is c/w a wear sleeve, plus sewn terminated retained Zodiac I Beam Alloy offset Twistlock karabiner (18mm gate opening, EN362:2004) on the fly end of the rope, as well as a captivated 12mm Zodiac I Beam Alloy offset Triplock Kara-biner on the adjuster (EN362:2004 T). 596g. EN358:1999 (Work Positioning Lanyards), that is also suitable for use with Work Restraint Techniques. EN795:1996 Class B (fall arrest anchors) suitable for use as a quick adjustment fall arrest anchor.

- Conformity: EN 358, EN 795 Class B

£170.00 Ex VAT



Petzl Progress Adjust I

2598  
PROGRESS ADJUST-I is a single adjustable progression lanyard that allows, when combined with another lanyard, continuous connection for all types of progres-sion (rope ascent, moving along a traverse line...). Thanks to the ADJUST rope adjuster, the length can be quickly and easily adjusted. Reversible, the ADJUST rope adjuster can be placed on the anchor or on the harness ventral attachment point.

- This lanyard requires the addition of two suitable connectors.
- Conformity: EN 358

£53.00 Ex VAT



Edelrid Switch Pro Adjust

81785  
• Easy to use, length-adjustable lanyard  
• Innovative rope clamp allows length adjustment under load  
• Complete with Oval Power triple lock carabiner  
• Conformity: EN 358

£80.00 Ex VAT (requires additional two connectors)

Pulleys



Petzl Spin L1 Pulley

6301  
Very high efficiency single pulley with swivel, designed for maximum simplicity in setting up hauling or load deviation systems, and tyroleans. The large diameter sheave mounted on sealed ball bearings gives it excellent efficiency. The swivel facilitates handling, allowing the pulley to be oriented under load, and direct connection of carabiners, ropes or slings.

- Conformity: EN 12278, NFPA 2500 General Use

Price: £100.00 Ex VAT



Petzl Tandem Speed Pulley

6032  
Stainless steel sheaves for excellent durability. The sheaves are mounted on sealed ball bearings for high efficiency (95%). The attachment point will accept up to three carabiners to facilitate use. Rope diameter compatibility is 13mm or less. Cable diameter compatibility is 12mm or less.

- Conformity: EN 12278

Price: £60.00 Ex VAT



Petzl Rescue Pulley

6141  
A pulley for rescue professionals. It is designed to handle heavy loads or for intensive use. The large diameter sheave is mounted on sealed ball bearings for high efficiency (95%). The attachment point will accept up to three carabiners to facilitate use. Rope diameter compatibility is 7mm to 13mm.

- Conformity: EN 12278, NFPA 1983 General Use

Price: £50.00 Ex VAT



Petzl Partner Pulley

6140  
• An Ultra compact, very lightweight pulley.  
• Designed for daily tasks and for on-site rescue (Tyrolean traverse...)  
• Sheave mounted on sealed ball bearings for high efficiency (91%).  
• Rope diameter compatibility is 7mm to 11mm.  
• Conformity: EN 12278

Price: £33.00 Ex VAT



## Edge Protection



### Pro Pad & Edge Mat

9518

The ProPad+ is a heavy duty rope protector that is suited to the demands of the outdoor activity industry. Thick natural fibre matting protects ropes against sharp edges typically found at the top of crags, railway bridges, and other sites suitable for abseiling and top-roping. A replaceable wear pad increases the ProPad+'s longevity, and helps it withstand the heavy use of large group sessions. The ProPad+ can be installed on-rope, or attached to the edge itself for increased predictability and protection.

- Conformity: N/A

£67.00 Ex VAT



### DMM Edgehog

9894

Designed for use in rope access. The Edgehog fits through deck grating which is found in many industrial situations such as oil rigs, chemical plants and refineries.

- Conformity: N/A

£99.99 Ex VAT



### Strep Edge Sleeve

81461

Edge-Sleeve 6" wide x 12" long, with Hi-Viz trim-ShoreGrip® to hold in position and securement loops at each end.

£59.72 Ex VAT



### 95cm Canvas Rope Protector

88810

- 95cm (L) x 17cm (W)
- Double thickness cotton canvas rope protector, with Velcro closure along the length plus press studs at each of the ends where additional security is wanted.
- A retaining web loop is also present, one at each end.
- Helps protect rope sheath against light abrasion on rough surfaces and edges.
- Conformity: N/A

£12.00 Ex VAT

## Footloops Etriers & Suspension Seat



### Petzl Looping Four Step Etrier

80430

- Four step etrier with reinforced foot stirrups and top eye loop
- Can be clipped onto an ascender via a connector
- The underfoot straps have abrasion protection

£36.00 Ex VAT



### Petzl Adjustable Webbing Footloop

5251

- Adjustable Nylon webbing footloop
- Length is easily adjusted with the mini double-back buckle
- The underfoot strap has abrasion protection

£16.00 Ex VAT



### 2.2m x 6mm Footloop Cord c/w Carbine Hook

88360

- 2.2m x 6mm Beal Accessory cord
- Terminated at one end with a captive 8mm stainless Carbine hook
- Complete with 15cm protective plastic sleeve

£15.00 Ex VAT



### Singing Rock Franklin Suspension Seat

1210

- Three x tool loops (16kg WLL) fitted
- Ideal as rope access suspension aid
- Max load of the seat is 150kg

£101.00 Ex VAT

## Accessories



### DMM Bat Plate Medium

6566

Textile friendly rigging plates that minimize system height in complex rigging scenarios, and can be bolted together for complete redundancy.

- Conformity: N/A

£59.99 Ex VAT



### Petzl Pro Traxion Capture Pulley

6333

Petzl Pro Traxion Progress Capture Pulley is suitable for hauling systems & as a progress capture device for travel along a Tyrolean traverse. A rope can be installed whilst the pulley is still connected to the anchor.

To use as a simple pulley, lock the cam in the raised position. Sealed ball bearings mounted sheave. Installable directly mid-way on a rope via hinged side plate.

For use with EN1891:1998 ClassA or EN892 textile ropes between 8 & 11mm dia. dependant on application. Also meets test requirements of EN12278:2007. When used as a pulley only 2.5kN x 2= 5kN WLL & 7.5kN x 2= 15kN MBL. When used as a self-jamming pulley 2.5kN WLL, & 4kN MBL.

Lower connection point is for creating different types of hauling systems.

- Conformity: EN 567

£130.00 Ex VAT



### Petzl Jag System 2m

91980

The JAG SYSTEM haul kit for pickoffs, making a releasable anchor, or tensioning a system, thanks to its 4:1 mechanical advantage and excellent efficiency (sheaves with sealed ball bearings). The collapsed kit is highly compact, allowing it to be used even when the distance to the anchor is very short. The JAG SYSTEM haul kit is quick and easy to deploy: it is ready to use thanks to the flexible cover that prevents any risk of tangling. The haul end is color-coded for instant identification. It is available in three lengths: 1, 2 and 5 meters.

- Conformity: N/A

£200.00 Ex VAT



### Petzl Caritool

84830

The CARITool tool holder allows the user to select and return tools with just one hand. It slips in through the harness straps and stays in place, thanks to its stabilizing clip. The gate has a protective feature that limits accidental snagging. It is available in two sizes.

- Conformity: N/A

£6.00 Ex VAT



### Petzl Spatha Knife

80841

The SPATHA knife is designed to accompany the worker at height during all daily tasks. The blade design allows easy cutting of ropes and cordage. It has a carabiner hole for easily attaching the knife to the harness. It is easy to manipulate with its textured wheel, even when wearing gloves, and can be locked in the open position.

- Conformity: N/A

£28.00 Ex VAT



### Never Let Go Tool Tethers

Selection of tool tethers available to prevent tools from falling or being dropped, including tool tape, lanyards, D-rings, kits and bags.

£0.93 - £190.00 Ex VAT



# Confined Space Equipment

## Gas Detection



### MSA Altair 4XR

101170

- Outfitted with rapid-response MSA XCell® sensors
- The ALTAIR 4XR can also provide real-time incident awareness to team members, supervisors, safety managers and others when paired with the MSA ALTAIR Connect app via a Bluetooth® wireless connection
- Dust and waterproof IP68 rating (2 meters for at least 1 hour)
- Four-year warranty

£600.00 Ex VAT



### BW GasAlert MicroClip XL

102660

- Easy one-button operation
- Extended battery life (especially in cold conditions)
- Dust and waterproof IP68 rating
- Two-year warranty including sensors and battery

£600.00 Ex VAT



### Crowcon T4

103060

- Easy one-button operation
- Up to 18 hour battery life
- Dust and waterproof IP65 & IP67 rating
- Two-year warranty including sensors and battery

£585.00 Ex VAT

All who manage or enter a confined space must comply with the Health and Safety Hierarchy of Control and recognise the possible dangers, have the proper safety training and protective equipment (PPE) necessary to ensure the operatives' or their own safety.

## Confined Space Equipment Sales

We offer a comprehensive range of personal protective equipment, workwear and safety equipment both own brand and sourced from specialist suppliers. Our Technical Experts are able to choose those best suited to your operatives and your environments.

We offer specialist kit for:

- Gas Detection
- Escape Breathing Apparatus
- Harnesses
- Tripod Bundles

## Escape Breathing Apparatus



### Scott ELSA

100220

- Unique cuboid hood with elastomeric neck seal for easy donning and excellent visibility
- Automatic activation – a constant flow of air is provided upon opening the ELSA bag
- Hood design enables it to be worn by those with beards or glasses
- 10 and 15 minute versions available

£545.90 Ex VAT (10 minute)

### Scott ELSA Sprint

100230

- Supplied with a positive pressure face mask
- High visibility or anti-static bag
- Tempest demand valve offers excellent flow performance
- 10 and 15 minute versions of Elsa Sprint are available

£723.00 Ex VAT (10 minute)

## Harnesses

### Arco Rescue

XS-S 81885, M-L 81764, XL-2XL 81763

- Designed to ease rescue attempts when working at height or in confined spaces
- Features front and rear attachment points with a yoke across the shoulders for support when connected to a rescue device
- The galvanised steel pass-through buckles provide a secure fastening, while the adjustable leg and chest straps help you find a comfortable fit.
- Conformity: EN 361, EN 1497

£87.20 Ex VAT

### P & P Safety Britannia FRS Rescue

1076

- Complete with bolero jacket for easy donning
- Two-point fall arrest harness with shoulder rescue suspension point
- 125kg SWL for rescue point
- Conformity: EN 361, EN 1497

£120.00 Ex VAT

### Ridgegear RGH5

1050

- Two-point fall arrest harness with shoulder rescue suspension point
- 136kg SWL for rescue point
- Also available with high visibility webbing with reflective yarn (RGH5 Glow)
- Conformity: EN 361, EN 1497

£51.65 Ex VAT



## Tripod Bundles

### Ridgegear Tripod Kit 3

100410

- Kit consisting of RGR1 tripod, 15m RGA4H fall arrest retrieval block, block bracket and tripod bag
- Conformity: EN 795, EN 360, EN 1496

£1,895.00 Ex VAT



### Abtech Safety CST1 Kit

101670

- Kit consisting of T3 tripod, AB15RT 15m fall arrest retrieval block and block bracket
- Conformity: EN 795, EN 360, EN 1496

£1,790.61 Ex VAT

## Signs

### Confined Space Warning Sign

8294 (Landscape), 8294 (Portrait)

- As recommended by the Confined Spaces Regulations 1997 ACoP
- Self-adhesive
- A4 size
- Available in landscape or portrait orientation




£7.00 Ex VAT





Your world made safer.

Key:

-  Training Facility
-  Hire
-  Services and Maintenance

Linlithgow

Hull - Arco  


Warrington  
  

Manchester  


Doncaster  


Eccleshall  
 

Bracknell  
  

## Contact us

0330 390 0822

[equipmentsales@arcoservices.co.uk](mailto:equipmentsales@arcoservices.co.uk)

[www.arcoservices.co.uk](http://www.arcoservices.co.uk)

